### **Advantix floor drains**

# Submittal Package







# table of contents

1	Product group description	3
2	Certificates	4
3	Imprint_	5

Advantix floor drains page 2 / 5



### Product group description

Floor drains with system dimension 145 (top pipe Ø 145 mm) and accessories for the drainage of large volumes of water (max. 1.7 l/s). Various installation heights from 0–155 mm, connection, material and design versions.

#### Note

Use of the products for areas of application and media other than those described must be agreed in consultation with Viega! Plastic products made from PP (polypropylene) are environmentally compatible and offer the best properties for domestic wastewater. Hot water heated only briefly to max. 95 °C may be discharged via the odour traps! Do not use chemical cleaning agents to remove pipe blockages! Use only mild cleaning agents for the surfaces! Detailed information about applications, restrictions and national standards and directives can be found in the product information, either printed or on the Viega website.

### Subject to change without prior notice!

Latest Z- and installation dimensions as well as further technical information can be found on the Viega website and have to be checked before purchase, planning, construction work and use. Our products are continuously optimised.

This product description contains important information on choice of product and system, mounting, commissioning as well as intended use and, if required, on maintenance measures. This information on products, their features and application techniques is based on currently valid standards in Europe (e.g. EN) and/or in Germany (e.g. DIN/DVGW). Some passages in the text may refer to technical regulations in Europe/Germany. These should be considered as recommendations for other countries where no corresponding national requirements exist. The relevant national laws, standards, regulations, directives and other technical provisions take priority over the German/European directives specified in this product description: The information herein is not binding for other countries and regions and should be understood as recommendation.

Advantix floor drains page 3 / 5



## Certificates

Board appoint on Christian Control of Christian Con	LGA general test certificate issued by the building authorities  Advantix plug-in drain
Report spricition and Developed Communication and Communication an	LGA general test certificate issued by the building authorities  Advantix-Top bath drain, Advantix-corner drain
Based gestift und überwicht TÜVAblichted Zenttitzten und überwicht weren den de 1111nazue	LGA certificate  Advantix-floor drain systems
TOVAbbinated Very Mark State (1970)	LGA test certificate  Advantix-grate non-slip
TOVANIANTAL  TOVANIANTAL  ZETITIZET  Baset gescift ond blevscht were Nozare 0 111167288	LGA test certificate  Advantix-grate non-slip
TOVAbbindard  Tovabbindard  Zentifizzer  Weenhorden  On 111187298	LGA certificate  Advantix-plug-in drain
Board geprüft und überwicht TÜVMheinkrid Zähttit/Zähl und überwicht www.ho.can to 1111-b22be	LGA certificate  Advantix-balcony-/terrace plug-in drain
Baset geroft on distributed a state of the second state of the second sec	LGA certificate  Advantix-corner drain
EMI	<b>EMI certificate</b> Drains for bathtubs and shower trays, sinks and bidets
10	ITB Product Certificate Advantix, Tempoplex

Advantix floor drains page 4 / 5



### **Imprint**

### Viega GmbH & Co. KG

Viega Platz 1 57439 Attendorn Germany

Phone: +49/2722/61-0 Fax: +49/2722/61-1566

The Viega GmbH & Co. KG is represented by the general partners: Viega Management B.V. (Managing directors: Michael Klenz, Sebastian Lelgemann) and Viega Management GmbH (Managing directors: Michael Klenz, Sebastian Lelgemann)

The Submittal Package contains non-binding information that is being provided to you. All contents in the Submittal Package have been compiled with the greatest possible care and attention. Despite this, we are unable to guarantee that the information is up to date, accurate and complete. Placing an order does not automatically render the Submittal Package part of the contract.

Advantix floor drains page 5 / 5